





**Welcome to weber** industrial constructions solution brochure. As a recognized manufacturer and innovator of easy-to-apply products in the flooring systems, facades, technical mortars, admixtures and tile fixing markets, weber is a leading player in the construction products industry.

The synergy between these different activities enables weber to provide integrated solutions for a wide range of projects from buildings to infrastructures to industrial developments.

As part of the industrial segment, the **Oil & Gas** market is still showing an expansion and new plants is being built with high demand on construction products and solutions.

Based on its strong knowledge and experience, weber is committed to provide complete high performance solutions to meet all the requirements related to the **Oil & Gas** continuous growing market.



### Oil & Gas Range

1- GROUTING & BEDDING	P.4
2- CONCRETE REPAIR & ANCHORING	P.6
3- CRACK INJECTION	P.8
4- JOINT SEALANTS	P.10
5- PROTECTIVE COATINGS	P.12
6- WATERPROOFING	P.14
7- ROOFING	P.16
8- FLOORING	P.18
9- ADMIXTURES FOR CONCRETE	P.20

www.middleeast.weber

3


# Grouting & Bedding

Cementitious & epoxy grouts for bedding, repairing, jacketing, jointing and other technical applications









Product Selector

Con an 4'4' and	Description	Application Field	Compressive Strength	Flexural Strength	Thickness/ mm
Cementitious					
webertec OG	Highly fluid cementitious expansive grout	Grouting under pipe support (transmission pipeline)	≥65 Mpa	≥14 Mpa	Up to 100
webertec 304 VHS	Very high strength shrinkage compensated grout	Grouting industrial equipment and machinery base plates	>80 Mpa	>10 Mpa	Up to 100
webertec 305 HF	Highly fluid non-shrink cementitious grout	Grouting industrial equipment and machinery base plates	>60 Mpa	>10 Mpa	Up to 50
webertec grout P plus	High strength cementitious non- shrink precision grout	Jointing & bedding for precast panels	>75 Mpa	>10 Mpa	Up to 50
webertec 311 MC-HCS	Non-shrink high strength fluid micro-concrete	Pile capping for Jetty offshore production deck	70 Mpa	>10 Mpa	Up to 300
webertec MC1	Easy to use durable micro-concrete	Pile capping for Jetty offshore production deck	>60 Mpa	>10 Mpa	Up to 200
Ероху					
webertec epo 430 GRT plus	Free flowing high strength epoxy grout	Equipment & heavy machinery mounting plates & cranes base plate	100 Mpa	>30 Mpa	Up to 450

## Concrete Repair & Anchoring

Fair facing and structural cementitious and epoxy based mortars











Product Selector

>30 Mpa Up to 3

C	eme	ent	itio	US

weberep 331 TX

weberep 331 HCS

weberep 360 FFR

weberep 314 RD

weberep 370 PF

face repair

Non- shrink thixotropic repair

filling mortar

Description

mortar with fiber

Two-component cement based corrosion protection and bonding

weberep 501 ZRP

weberanc 405 BFX

weberep epo 412 CRY High strength, thixotropic epoxy patching & bonding paste

Heavy duty ant-corrosive zinc-rich

Pure epoxy anchoring resin in cartridge

Compressive Flexural Thickness/ **Application Field** Strength mm Structural concrete cracks or damages 50 Mpa 7 Mpa Up to 50

Non shrink high strength thixotropic | Structural concrete cracks or damages | 70 Mpa >10 Mpa Up to 50 repair mortar

Pre-mixed cementitious filler for fair | Superficial cracks in concrete walls 5 Mpa >20 Mpa Up to 3

High early strength and fast setting | Repair of roads or industrial surfaces 10 Mpa Up to 150 without long traffic interruption

Corrosion protection coat of reinforcement steel in concrete

Patching repair of concrete floors prior to epoxy coatings 70 Mpa

Corrosion protection coat of reinforcement steel in concrete

of rebar and studs in concrete

| Heavy loads applications for anchoring | >80 Mpa

# **Crack Injection**

Epoxy & polyurethane injection products for sealing cracks in dry and wet structures













Product Selector

Еро	ху
-----	----

weberep epo 660 i

weberep epo 650 i

Polyurethane

weberdry 600 i

weberdry 610 i

128%	
	1700% to 2200%
	128%

## Joint Sealants

Polyurethane
& polysulphide
based, cold applied
elastomeric
sealants with
excellent adhesion
and bonding









Product Selector

Polysulphide	Description	Application Field	Elongation	MAF
weber seal PS 1000 GG/PG	Two-component polysulphide joint sealant	Expansion joints in heavy traffic floors	>600%	25%
weber seal PS 2000 JF	Two-component polysulphide jet fuel resistant sealant	Sealing joints in reinforced concrete structures which may be subject to fuel spillage		25%
Polyurethane				
weber jointseal PU ○○○●	One component polyurethane sealant	Sealant for joints in concrete structures (expansion & construction joints & precast elements)	>500%	25%
weber joint seal PU MC ○○●	One component polyurethane sealant and adhesive	Sealant for joints in concrete structures (expansion & construction joints & precast elements)	>500%	25%
Silicone				
weber silicone FS	High performance firestop silicone sealant	Fire resistant joints in fire rated zone (firestop system)	>300%	50%




## Protective Coatings

Innovative
solutions for
different
applications to
protect concrete
structures









Product Selector

Polyster	Description	Application Field		Chemical resistance	Reduction in RCP
webercote protect PE	Eco-friendly hydrophobic coating for concrete	For underground structures & foundations protection	2 Mpa	Yes	
Ероху					
weberdry epo PW	Non-toxic solvent free, high chemical resistant epoxy coating	Chemicals storage tanks Water reservoirs and tanks	>3 Mpa	Yes	
Coal Tar					
weberdry tar ESB	Solvent-based coal tar epoxy coating for steel & concrete	Manholes Foundations		Yes	
weberdry tar ESF	High build solvent-free coal tar epoxy coating	Manholes Foundations		Yes	
Acrylic					
webercote beton plus	Protective anti-carbonation coating for concrete	Exposed concrete structures with high risk of carbonation and Chloride attack	>2 Mpa	Yes	≥92%
Bituminous					
weberdry SSP 50	Waterproofing rubberized bitumen emulsion	Footings and other buried elements			
weberdry bitum WB	Cold applied bitumen protective coating	Protective coating for concrete underground Primer coat prior to application of bituminous membranes			



### Waterproofing


Quality solutions
for different
requirements which
protect safely the
structure and for
the long term











Product Selector

Wall Floor

Yes

Yes

Yes Yes

Yes

Yes

Yes

Yes

Cemen	titiou.
-------	---------

Description

weberdry 110 FX

weberdry 116 FX

weberdry 150 BLC

#### PVC

weberdry waterstop

ubber

weberdry swellbar RB | Swellable rubber waterstop

ituminous

Biplas range
Biflex range

Flexible high cement based performance waterproof coating	Water tanks Drinking water reservoirs
Flexible cement based acrylic waterproof coating	Waterproofing of wet areas
Cementitious plugging mortar	Water seepage in underground structures Cracks in silos and water reservoir leakage

Waterstops for construction and expansion

Sealing construction & expansion joints in

**Application Field** 

water retaining structures

situations

able rubber waterstop Construction joints in vertical & horizontal

APP modified bituminous membrane

SBS modified bituminous membrane

Waterproofing of foundations, basements and footings

Waterproofing of foundations, basements and Yes Yes

0000


## Roofing

Flexible
waterproofing
liquid membranes
for exposed roof
with high solar
reflectance









Product Selector

Polyurethane	Description	Application Field	Elongation	Wall	Floor	Primer
weberdry 360 PU	Liquid applied polyurethane waterproofing membrane	Concrete roof Steel roof Old bituminous felt	> 600 %	Yes	Yes	Yes
weberdry PUR seal	Liquid applied polyurethane waterproofing membrane	Concrete roof Steel roof Old bituminous felt	> 800 %	Yes	Yes	Yes
weberdry PUR coat ○●	Aliphatic polyurethane top-coat	Over the <b>weberdry 360 PU</b> & <b>weberdry PUR seal</b> on surfaces with normal pedestrian traffic	289%		Yes	No
weberdry PUR coat traffic	Aliphatic polyurethane top-coat	Over the <b>weberdry 360 PU</b> & <b>weberdry PUR seal</b> on surfaces with public pedestrian traffic or light car traffic	> 100%		Yes	No



## Flooring

Weber offers a
wide range of
products such as
primers, screeds
and smoothing
mortars and even
floor covering
adhesives...









Product Selector

Cementitious	Description	Application Field	cs	FS	Application Thickness	Indoor	Outdoor	Primer
weberfloor 600 SCR	Dry ready mix screed fiber reinforced	Indoor floor surface prior to installation of other overlayment products	>30 Mpa	>6 Mpa	30 mm to 80 mm	Yes	No	Yes
webefloor 620 PMB plus	Fast drying (4 days), shrinkage controlled, semi-dry floor screed	Indoor floor surface prior to installation of other overlayment products	>20 Mpa	>4 Mpa	15 mm to 200 mm	Yes	Yes	Yes
weberfloor 514 SL	Fast setting cementitious self-leveling flooring compound	Indoor floor surface prior to installation of other overlayment products	25 Mpa	6 Мра	up to 15mm	Yes	No	Yes
weberfloor 400 BA	Surface hardener in powder form	Warehouses & industrial floors	55 Mpa	12 Mpa		Yes	Yes	No
Epoxy weberfloor epobat	Solvent free heavy duty epoxy floor coating	Machinery service area Mechanical rooms	>85 Mpa	>30 Mpa	200 Microns DFT per coat.	Yes	No	Yes
	epoxy floor coating	Warehouse & storage facilities			per coat.			
Silicate								
weberfloor 255 SC	Liquid surface hardener for concrete mortar	Warehouses & industrial floors				Yes	Yes	No



### **Admixtures** for Concrete

Solutions to improve the durability of concrete & increase the service life for structures





Corrosion Inhibitor

**Admix PCI** 

weberad sec E

Description	Application Field	Appearance	Standard Reference	Dosage
Bipolar concrete penetrating corrosion inhibiting admixture	Concrete structures exposed to corrosive environment	Liquid	ASTM G 109	2 kg/m³
Integral waterproofing admixture in liquid form	Concrete for foundations under water table Concrete in regular contact with water	Liquid	BS EN 934	0.5 to 1.5 kg per 100 kg of the cement











#### Weber cares about building better for people and the planet











#### SODAMCO Qatar W.L.L.

Al Rayan Complex
P.O.Box 22520 • Doha
Qatar
Tel.: + 974 4442 3816

Tel.: + 974 4442 3816 www.saint-gobain-emme.com





